



TRUST. TRANSPARENCY. PERFORMANCE.

VEYRUM ROBOTICS STANDARD



VRS-DEF-501

Defence & Security — AR Rubric Data Twin

Machine-readable criteria, tier ceilings, contributors and bands of VRS-DEF-201 (VRS 2026 (draft)); generated, never hand-edited.

VEYRUM RESEARCH INSTITUTE

DOCUMENT

VRS-DEF-501

VERSION

1.0.0

STATUS

Draft

DATE

16 September 2026

Foreword. Data Artifact: the machine-readable twin of **VRS-DEF-201** (VRS 2026 (draft)) — the sector criteria with their point ranges, rungs and tier ceilings, the contributing intrinsic criteria, the letter bands and the application classes — generated FROM the protocol's Clause 5–7 by `tools/vrs-twin-generate.py`. Consistency is by construction and re-verified on every build (conformance check 15). The JSON in Clause 4 is the normative payload; scorer tooling consumes it directly. A change to VRS-DEF-201 and to this twin is one change instrument.

1 Scope

This Data Artifact carries the rubric data of the Defence & Security (DEF) sector in machine-readable form: the 9 sector criteria of VRS-DEF-201 Clause 6 with points, rungs and Unverified / Verified / Certified ceilings; the contributing intrinsic criteria of Clause 5; the letter bands and application classes of Clause 7. It states no independent requirements. Where this artifact and VRS-DEF-201 could be read to differ, VRS-DEF-201 governs and this twin is regenerated to match.

2 Normative references

- **VRS-DEF-201**, *Defence & Security — AR Assessment Protocol* — source protocol twinned (Clauses 5–7).
- **VRS-DEF-001**, *Defence & Security — Sector Standard* — application classes and hazard groups.
- **VRS-GEN-005**, *IR Methodology* — point sum, tier ceilings, no-evidence rule.
- **VRS-GEN-006**, *AR Scheme* — pool mechanics, letter bands, tier caps by construction.
- **VRS-GEN-002**, *Designation and Drafting Rules* — criterion layout (§6.5) and versioning.

3 Terms and definitions

The terms of VRS-GEN-001 and VRS-DEF-201 apply. **data twin** — a machine-readable artifact regenerated one-to-one from a source protocol's normative clauses. **rung** — a named state of a criterion awarding a stated integer number of points (VRS-GEN-002 §3.9). **ceiling** — the maximum points a criterion awards at a stated tier (VRS-GEN-002 §3.10).

4 Payload

Sector criteria total **100** points; ceilings Unverified **70**, Verified **85**, Certified **100**.

```
{
  "_meta": {
    "description": "DEF sector AR rubric data twin – machine-readable form of VRS-DEF-201 Clause 5/6/7 (VRS 2026 (draft)). Generated by tools",
    "edition": "VRS 2026 (draft)",
    "source_protocol": "VRS-DEF-201 v1.0.0",
    "generated": "2026-09-16",
    "conforms_to": "VRS-GEN-005 §6 (point sum, tier ceilings); VRS-GEN-006 §6–§8 (pool, bands, tier caps by construction)"
  },
  "sector_code": "def",
  "bands_percent": {
    "AAA": 90,
    "AA": 75,
    "A": 60,
    "B": 45,
    "C": 0
  },
  "application_classes": [
    "ground UGV (logistics/ISR)",
    "EOD/CBRN (overlaps HAZ)",
    "base/perimeter security",
    "maritime security USV"
  ],
  "contributing_ir_criteria": [
    {
      "id": "SF-1",
      "document": "VRS-GEN-101",
      "clause": "6.1"
    },
    {
      "id": "SF-2",
      "document": "VRS-GEN-101",
      "clause": "6.2"
    }
  ]
}
```

```

    "id": "SF-4",
    "document": "VRS-GEN-101",
    "clause": "6.4"
  },
  {
    "id": "SF-5",
    "document": "VRS-GEN-101",
    "clause": "6.5"
  },
  {
    "id": "SF-8",
    "document": "VRS-GEN-101",
    "clause": "6.8"
  },
  {
    "id": "RL-2",
    "document": "VRS-GEN-102",
    "clause": "6.2"
  },
  {
    "id": "RL-5",
    "document": "VRS-GEN-102",
    "clause": "6.5"
  },
  {
    "id": "SV-2",
    "document": "VRS-GEN-103",
    "clause": "6.2"
  },
  {
    "id": "SV-5",
    "document": "VRS-GEN-103",
    "clause": "6.5"
  },
  {
    "id": "CY-2",
    "document": "VRS-GEN-105",
    "clause": "6.2"
  },
  {
    "id": "CY-4",
    "document": "VRS-GEN-105",
    "clause": "6.4"
  },
  {
    "id": "CY-5",
    "document": "VRS-GEN-105",
    "clause": "6.5"
  },
  {
    "id": "MS-1",
    "document": "VRS-GEN-106",
    "clause": "6.1"
  },
  {
    "id": "MS-6",
    "document": "VRS-GEN-106",
    "clause": "6.6"
  },
  {
    "id": "MS-7",
    "document": "VRS-GEN-106",
    "clause": "6.7"
  },
  {
    "id": "SI-2",
    "document": "VRS-GEN-104",
    "clause": "6.2"
  }

```

```

    },
    {
      "id": "SI-6",
      "document": "VRS-GEN-104",
      "clause": "6.5"
    }
  ],
  "sector_criteria": [
    {
      "clause": "6.1",
      "id": "DEF-1",
      "name": "Scope integrity – weapons-function exclusion verified",
      "points_max": 12,
      "what_is_measured": "Attestation and design evidence that the assessed configuration has no weapons function and no provision for one w
      "rungs": [
        {
          "points": 12,
          "state": "attested + witnessed configuration inspection"
        },
        {
          "points": 10,
          "state": "attested + design evidence"
        },
        {
          "points": 9,
          "state": "publicly evidenced only (no pack, no demonstration)"
        },
        {
          "points": 5,
          "state": "attested only"
        },
        {
          "points": 0,
          "state": "not attested"
        }
      ],
      "ceiling": {
        "unverified": 9,
        "verified": 10,
        "certified": 12
      },
      "company_wide": null,
      "evidence_bar": "Attestation required for any rating.",
      "applicability": "ground UGV (logistics/ISR) · EOD/CBRN (overlaps HAZ) · base/perimeter security · maritime security USV. All criteria
      "not_applicable_by_class": false
    },
    {
      "clause": "6.2",
      "id": "DEF-2",
      "name": "Own-force and bystander protection at speed and load",
      "points_max": 14,
      "what_is_measured": "Detection/stop for personnel in the operating area at declared speed/load; base-traffic behaviour.",
      "rungs": [
        {
          "points": 14,
          "state": "witnessed at limits"
        },
        {
          "points": 11,
          "state": "pack-evidenced (documents), not demonstrated"
        },
        {
          "points": 10,
          "state": "nominal"
        },
        {
          "points": 8,
          "state": "certified/tested ((public))"
        }
      ]
    }
  ]

```

```

    },
    {
      "points": 5,
      "state": "documented"
    },
    {
      "points": 0,
      "state": "not established"
    }
  ],
  "ceiling": {
    "unverified": 8,
    "verified": 11,
    "certified": 14
  },
  "company_wide": null,
  "evidence_bar": "Envelope declared.",
  "applicability": "ground UGV (logistics/ISR) · EOD/CBRN (overlaps HAZ) · base/perimeter security · maritime security USV. All criteria",
  "not_applicable_by_class": false
},
{
  "clause": "6.3",
  "id": "DEF-3",
  "name": "Contested-environment integrity (jamming, spoofing, interference)",
  "points_max": 14,
  "what_is_measured": "Navigation and link behaviour under GNSS denial/spoofing and RF interference; safe degradation.",
  "rungs": [
    {
      "points": 14,
      "state": "witnessed degradation on a test range (lab route)"
    },
    {
      "points": 11,
      "state": "pack-evidenced (documents), not demonstrated"
    },
    {
      "points": 10,
      "state": "test data"
    },
    {
      "points": 8,
      "state": "publicly evidenced only (no pack, no demonstration)"
    },
    {
      "points": 6,
      "state": "documented"
    },
    {
      "points": 0,
      "state": "not established"
    }
  ],
  "ceiling": {
    "unverified": 8,
    "verified": 11,
    "certified": 14
  },
  "company_wide": null,
  "evidence_bar": "Link/positioning architecture declared.",
  "applicability": "ground UGV (logistics/ISR) · EOD/CBRN (overlaps HAZ) · base/perimeter security · maritime security USV. All criteria",
  "not_applicable_by_class": false
},
{
  "clause": "6.4",
  "id": "DEF-4",
  "name": "Environmental qualification (MIL-STD-810 or equivalent)",
  "points_max": 12,
  "what_is_measured": "Temperature, shock, vibration, sand/dust, immersion per declared theatres.",

```

```

    "rungs": [
      {
        "points": 12,
        "state": "certificates + witnessed sample"
      },
      {
        "points": 11,
        "state": "pack-evidenced (documents), not demonstrated"
      },
      {
        "points": 10,
        "state": "certificates/reports public"
      },
      {
        "points": 6,
        "state": "ratings declared"
      },
      {
        "points": 0,
        "state": "not established"
      }
    ],
    "ceiling": {
      "unverified": 10,
      "verified": 11,
      "certified": 12
    },
    "company_wide": null,
    "evidence_bar": "Theatre envelope declared.",
    "applicability": "ground UGV (logistics/ISR) · EOD/CBRN (overlaps HAZ) · base/perimeter security · maritime security USV. All criteria",
    "not_applicable_by_class": false
  },
  {
    "clause": "6.5",
    "id": "DEF-5",
    "name": "Field maintainability by uniformed maintainers",
    "points_max": 12,
    "what_is_measured": "Module swaps with organic tools; maintainer training; spares kits.",
    "rungs": [
      {
        "points": 12,
        "state": "witnessed swaps + training + kits"
      },
      {
        "points": 10,
        "state": "pack-evidenced (documents), not demonstrated"
      },
      {
        "points": 9,
        "state": "documented in detail"
      },
      {
        "points": 5,
        "state": "documented"
      },
      {
        "points": 0,
        "state": "not established"
      }
    ],
    "ceiling": {
      "unverified": 9,
      "verified": 10,
      "certified": 12
    },
    "company_wide": {
      "text": "Record company-wide → 9",
      "ceiling": 9
    }
  }

```

```

    },
    "evidence_bar": "None.",
    "applicability": "ground UGV (logistics/ISR) · EOD/CBRN (overlaps HAZ) · base/perimeter security · maritime security USV. All criteria",
    "not_applicable_by_class": false
  },
  {
    "clause": "6.6",
    "id": "DEF-6",
    "name": "Capture and compromise resilience",
    "points_max": 14,
    "what_is_measured": "Data-at-rest encryption, zeroisation, anti-tamper, remote disable; technology-exposure controls.",
    "rungs": [
      {
        "points": 14,
        "state": "witnessed zeroisation/anti-tamper + accreditation"
      },
      {
        "points": 11,
        "state": "pack-evidenced (documents), not demonstrated"
      },
      {
        "points": 10,
        "state": "accreditation/certificate public"
      },
      {
        "points": 8,
        "state": "publicly evidenced only (no pack, no demonstration)"
      },
      {
        "points": 6,
        "state": "documented"
      },
      {
        "points": 0,
        "state": "not established"
      }
    ],
    "ceiling": {
      "unverified": 8,
      "verified": 11,
      "certified": 14
    },
    "company_wide": null,
    "evidence_bar": "None.",
    "applicability": "ground UGV (logistics/ISR) · EOD/CBRN (overlaps HAZ) · base/perimeter security · maritime security USV. All criteria",
    "not_applicable_by_class": false
  },
  {
    "clause": "6.7",
    "id": "DEF-7",
    "name": "Cyber accreditation and vulnerability handling",
    "points_max": 10,
    "what_is_measured": "National/coalition cyber accreditation; PSIRT/CVD; patch history.",
    "rungs": [
      {
        "points": 10,
        "state": "accreditation + PSIRT + history"
      },
      {
        "points": 9,
        "state": "pack-evidenced (documents), not demonstrated"
      },
      {
        "points": 8,
        "state": "PSIRT + history public"
      },
      {
        "points": 5,

```

```

    "state": "policy"
  },
  {
    "points": 0,
    "state": "not established"
  }
],
"ceiling": {
  "unverified": 8,
  "verified": 9,
  "certified": 10
},
"company_wide": {
  "text": "Company-wide → 8",
  "ceiling": 8
},
"evidence_bar": "None.",
"applicability": "ground UGV (logistics/ISR) · EOD/CBRN (overlaps HAZ) · base/perimeter security · maritime security USV. All criteria",
"not_applicable_by_class": false
},
{
  "clause": "6.8",
  "id": "DEF-8",
  "name": "Programme continuity and export/security constraints",
  "points_max": 6,
  "what_is_measured": "Multi-year support commitments; export-control status disclosed; supply-chain continuity.",
  "rungs": [
    {
      "points": 6,
      "state": "commitments + disclosed constraints + record"
    },
    {
      "points": 5,
      "state": "publicly evidenced or company-wide record"
    },
    {
      "points": 4,
      "state": "commitments"
    },
    {
      "points": 2,
      "state": "described"
    },
    {
      "points": 0,
      "state": "not established"
    }
  ],
  "ceiling": {
    "unverified": 5,
    "verified": 6,
    "certified": 6
  },
  "company_wide": {
    "text": "Company-wide → 5",
    "ceiling": 5
  },
  "evidence_bar": "None.",
  "applicability": "ground UGV (logistics/ISR) · EOD/CBRN (overlaps HAZ) · base/perimeter security · maritime security USV. All criteria",
  "not_applicable_by_class": false
},
{
  "clause": "6.9",
  "id": "DEF-9",
  "name": "Mission incident record",
  "points_max": 6,
  "what_is_measured": "Incidents over the window (declassified/public sources).",
  "rungs": [

```

```

    {
      "points": 6,
      "state": "none (model)"
    },
    {
      "points": 5,
      "state": "publicly evidenced or company-wide record"
    },
    {
      "points": 4,
      "state": "null-result rung"
    },
    {
      "points": 3,
      "state": "remediated"
    },
    {
      "points": 0,
      "state": "not established"
    }
  ],
  "ceiling": {
    "unverified": 5,
    "verified": 6,
    "certified": 6
  },
  "company_wide": {
    "text": "Company-wide → 5",
    "ceiling": 5
  },
  "evidence_bar": "None.",
  "applicability": "ground UGV (logistics/ISR) · EOD/CBRN (overlaps HAZ) · base/perimeter security · maritime security USV. All criteria",
  "not_applicable_by_class": false
}
],
"pool": {
  "sector_only": {
    "points": 100,
    "ceiling_unverified": 70,
    "ceiling_verified": 85,
    "ceiling_certified": 100,
    "best_letter": {
      "unverified": "A",
      "verified": "AA",
      "certified": "AAA"
    }
  }
},
"with_contributors": "contributor ceilings are those of the cited IR standards; the combined pool sums are verified by the conformance ga",
},
"rules": {
  "no_evidence": "0 points (VRS-GEN-005 §6, R3.3); the criterion stays in the pool at full range",
  "not_applicable": "criterion removed from numerator and denominator for that class (VRS-GEN-006 §6)",
  "tier_rule": "AR tier ≤ IR tier (VRS-GEN-006 §7)"
}
}

```

5 Field dictionary

FIELD	MEANING
<code>sector_criteria[].clause</code>	VRS-DEF-201 subclause (6.k) — the “Required by” reference used in derived packs and protocols
<code>sector_criteria[].points_max</code>	Upper end of the criterion's integer range
<code>sector_criteria[].rungs[]</code>	Every verifiable state and its points, highest first; the 0 state is implicit where not listed
<code>sector_criteria[].ceiling</code>	Maximum points at each tier; always equal to a rung value (VRS-GEN-002 §7.5.1)
<code>sector_criteria[].company_wide</code>	Field-record criteria only: the reduced ceiling when company-wide data substitutes for model data
<code>sector_criteria[].applicability / not_applicable_by_class</code>	Application classes the criterion applies to; excluded criteria leave the pool for that class
<code>contributing_ir_criteria[]</code>	Intrinsic criteria counted in the sector pool, with the standard and clause that score them
<code>pool.sector_only</code>	Sums over the sector criteria and the best attainable letter at each tier (A / AA / AAA by construction)
<code>bands_percent</code>	Letter thresholds as a percentage of the applicable pool (VRS-GEN-006 §4)

6 Verification

Regenerate with `python3 tools/vrs-twin-generate.py --sector def --check`; a non-zero exit means the committed twin no longer matches VRS-DEF-201 and shall be regenerated before publication.

7 Bibliography

- VRS-DEF-201, *Defence & Security — AR Assessment Protocol*, v1.0.0, 2026 — the source of every number in Clause 4.
- VRS-DEF-001, *DEF Sector Standard*, 2026 — sector scope, hazard taxonomy and application classes.
- VRS-GEN-005, *Intrinsic Rating — Methodology*, 2026 — point aggregation and tier ceilings for the contributing IR criteria.
- VRS-GEN-006, *Application Rating Scheme*, 2026 — letter bands and pool mechanics reproduced in `bands_percent` and `pool`.
- VRS-GEN-002, *Designation and Drafting Rules*, 2026 — §6.5 criterion layout and §7.5.1 (ceilings equal rungs) that this twin verifies.
- VRS-GEN-004, *Change, Edition and Review Policy*, 2026 — how a twin regeneration is designated.
- VRS-GEN-009, *Robot Risk Passport and Registry — Data Schema*, 2026 — consumer of the payload.
- ISO/IEC 21778:2017, *Information technology — The JSON data interchange syntax*.

8 Change history

VERSION	DATE	CHANGE
1.0.0 (draft)	2026-09-16	VRS 2026 (draft) rewrite: regenerated from VRS-DEF-201 Clause 5–7 (criteria, rungs, tier ceilings, contributors, bands, classes). Weights, modifiers, confidence and stage- prior fields removed.

About Veyrum Research Institute

Veyrum Research Institute is the research arm of Veyrum — the independent intelligence and trust layer for the robotics industry (research, ratings and registry, advisory, data, and specialist insurance & finance introductions).

Disclaimer

The opinions in this document are independent and current as of the date of publication, based on information believed reliable; they are not guarantees or warranties of safety, fitness, or compliance, and are not engineering, legal, or financial advice. This document may be revised. © 2026 Veyrum.

Contact: hello@veyrum.com · VRS-DEF-501 · Version 1.0.0